



C&E SERIES SPECIFICATIONS

MODEL	CYZ52			CYH52		EXR52 F	EXZ52 K	
	CYZ52 M	CYZ52 P	CYZ52 Q	CYH52 S	CYH52 W			
WEIGHT								
Gross Vehicle Weight (GVW)	(kg)	33,000			41,000		20,000 (Tractor Only)	33,000 (Tractor Only)
Gross Combination Mass (GCM)	(kg)						45,000	60,000
ENGINE								
Model	6WG1-TCN							
Type	6-Cylinder, In-Line, Blue Power Diesel Engine with Turbo intercooler							
Bore and Stroke	(mm)	Ø 147 x 154						
Displacement	(cc)	15,681						
Max. Output KW (PS)/rpm	(ISO Gross)	309 (420) / 1,800						
Max. Torque N-m (kg-m)/rpm	(ISO Gross)	1,863 (190) / 1,300						
Fuel Tank Capacity	(Liter)	200	400	200	400	400 (Option: 550)		
TRANSMISSION								
Model	Standard	MIT7S (7-Speed)					MIX16P (16-Speed)	
	Option	MIX16P (16-Speed)					N/A	
TIRE & WHEEL								
Tire		11.00R20-16PR	295 / 80R22.5	11.00R20-16PR			295 / 80R22.5	
BRAKE								
Service	Full Air; Auto Adjust							
Auxiliary	Exhaust Brake with Service Brake			Trailer Hand Brake / Exhaust Brake with Service Brake				
Parking	Wheel Park							
SUSPENSION								
Front	Multi Leaf & Taper Leaf					Taper Leaf		
Rear	(Multi Leaf for Dump Usage)					Multi-Leaf / Taper Leaf		
ELECTRICAL SYSTEM								
Battery	Specification	115F51 x 2						
SAFETY								
Anti-Lock Braking System (ABS)		Equipped						
Speed Limiter		80 km/h						
CONVENIENCE								
Cab Window		Power Windows						
Cab Door		Auto Door Lock						
Air Conditioning		Equipped						
Radio with Speakers		Equipped						

C-SERIES



E-SERIES



CAB AND CHASSIS DIMENSIONS (mm)

MODEL	WB	OAL	FOH	ROH	CE	CA	OW	AW	BW	CW	OAH	HH	EH
CYZ52 M	5,225	8,140	1,400	1,515	5,985	4,470	2,490	2,065	2,480	1,850	2,990	250	1,150
CYZ52 P	5,550	8,315	1,400	1,385	6,160	4,795	2,490	2,065	2,480	1,850	2,990	250	1,150
CYZ52 Q	5,935	9,775	1,400	2,440	7,630	5,180	2,490	2,065	2,480	1,850	2,970	250	1,160
CYZ52 T	6,665	11,250	1,400	3,185	9,095	5,910	2,490	2,065	2,480	1,850	2,970	250	1,165
CYH52 S	6,500	9,315	1,400	1,415	7,165	5,750	2,490	2,065	2,480	1,850	3,005	250	1,140
CYH52 W	7,410	10,780	1,400	1,970	8,625	6,655	2,490	2,065	2,480	1,850	3,005	250	1,125
EXR52 F	3,600	5,971	1,400	971	3,816	2,845	2,490	2,065	2,480	1,850	2,950	250	1,080
EXZ52 K	4,685	6,746	1,400	661	4,591	3,930	2,490	2,065	2,480	1,850	2,950	250	1,105

WEIGHTS (kg)

MODEL	TRANSMISSION	USAGE	RATINGS GVW	C-SERIES			
				CAB AND CHASSIS MASS	FRONT	REAR	PAYLOAD
CYZ52 M	MIT7S	DUMPER	33,000	8,525	4,500	4,025	24,475
	MIX16P			8,505	4,550	4,055	24,935
CYZ52 P	MIT7S	CONCRETE MIXER	33,000	8,700	4,595	4,105	24,300
	MIT7S	DUMPER		8,610	4,525	4,085	24,930
CYZ52 Q	MIX16P	CARGO/TANKER	33,000	9,100	4,580	4,120	24,300
	MIT7S			9,100	4,590	4,510	23,900
CYZ52 T	MIT7S	FULL TRACTOR	33,000	9,100	4,590	4,510	23,900
	MIX16P			9,190	4,645	4,545	23,810
CYZ52 W	MIT7S	CARGO	41,000	9,350	4,620	4,730	23,650
	MIT7S	DUMPER		9,740	6,140	3,660	31,260
CYH52 S	MIX16P	DUMPER	41,000	9,830	6,205	3,625	31,170
	MIT7S	CARGO		10,225	6,370	3,855	30,755
EXR52 F	MIT7S	SEMI TRACTOR	20,000	6,765	4,525	2,240	45,000
	MIX16P			6,850	4,570	2,280	45,000
EXZ52 K	MIX16P		33,000	8,465	4,610	3,855	60,000



Isuzu Philippines Corporation reserves the right to change features and specifications without prior notice. Details, descriptions, and illustrations are for informational purposes only and may vary from actual units.

Dealership:

ISUZU
Your responsible partner

ISUZU PHILIPPINES CORPORATION

114 Technology Ave., Phase II, Laguna Technopark, Dilian, Laguna, 4024
Trunkline (049) 641-0224 / (02) 757-6070
Email: customer-relations@isuzuphil.com

f/isuzuphilippines @isuzuphil isuzuphil www.isuzuphil.com

ISUZU

C&E SERIES



BUILT TO MOVE



C-SERIES Rigid Trucks

CYZ52 | GVW
(33,000 Kgs)
420 PS
6x4



CYH52 | GVW
(41,000 Kgs)
420 PS
8x4




E-SERIES Tractor Heads

EXR52 F | GVW (20,000 Kgs)
GCM (45,000 Kgs)
420 PS
4x2



EXZ52 K | GVW (33,000 Kgs)
GCM (60,000 Kgs)
420 PS
6x4



ENGINES

6WG1-TCN

Power: 420 PS
Torque: 1,863 N-m

The 6WG1-TCN Euro V Compliant Blue Power Diesel Engine makes you feel the difference – ensuring high and powerful outputs with cleaner emissions.

EXR52 F, EXZ52 K, CYZ52, CYH52






Excellent Durability




Bigger Payload Capacity


The C&E Series covers a wide variety of applications, designed to handle all kinds of work under tough conditions. These include the concrete mixer, dump truck, and hauling trailer, among others. The bigger the load capacity that it can carry, the higher the productivity.



Safety



Convenience





Spacious Cab Interior

The truck's ergonomic air suspension seats, covered overhead shelf, cool air-conditioning, and superior audio system are specifically designed for maximum driver and passenger comfort.



Tilting And Telescopic Steering Wheel

This is our way of letting you be comfortable behind the wheel, while powering through your day-to-day tasks. Adjust the wheel, however you see fit for your driving needs.



Quick Access Panel

Designed for easy maintenance, conveniently pull up the access panel located in front of the cab for fluid and valve inspections.



High Visibility Meters

Take control of your ride with its highly visible and easy-to-spot dashboard meters.

